

AKABA



Xoko

4 LEGS, CENTRAL COLUMN

XOKO 4 LEGS

Stool available in 3 heights.

Structure 4 steel tubes of 20 x 1.5mm.

Seat single-piece metal structure with 65kg/m³ CAL 117 injected polyurethane, fire retardant and free from cancer-causing chemicals.

Glides polypropylene.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct.

Upholstery see manufacturers' fabric specifications.

XOKO CENTRAL COLUMN

Stool with central column, adjustable height or 2 fixed heights and automatic return.

Steel column 55mm diameter and 1.5mm thickness.

Large base 8mm steel with rubber pads.

Footrest 20mm diameter and 2mm thick steel.

Adjustable height with lever and gas cylinder and option of a cylinder with automatic return mechanism.

Seat single-piece metal structure with 65kg/m³ CAL 117 injected polyurethane, fire retardant and free from cancer-causing chemicals.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct.

Upholstery see manufacturers' fabric specifications.

ENVIRONMENTAL CERTIFICATES


ISO 14006 Ecodesign.

EPD (Declaración medioambiental de producto, Environmental product declaration).


 Recyclable up to **72 %**.

MEASURES

XOKO COLUMN



XOKO 4 LEGS



SPECS

**Product weight:**

Xoko 4 legs
8,6 kg

Xoko Central Column
18,2 kg

**Packaging Information:**

Xoko 4 legs
680X570X1100 mm

Xoko Central Column
680X570X970 mm

**Number of chairs per box:**


1 Unit

**Footage for upholstered versions****(COM):**

(for more than 1 unit contact factory)

1,2 ml / 16 feet

ACCESSORIES



Felt glides / XK

IMAGES





AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

© AKABA S.A. All rights reserved